

AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions and listings of the claims in the above-captioned patent application.

Listing of Claims:

Claim 1. (Currently Amended) An organic electroluminescent display device comprising:

~~a plurality of light-emitting elements formed of light-emitting films~~ pixels located above a substrate ~~each containing organic electroluminescent materials and being sandwiched by a pair of electrodes~~, wherein

each pixel of said display device plurality of pixels is formed by two light-emitting elements producing only two different colors of predetermined chromaticity values, and

~~each of said colors has a gradation~~

each light-emitting element is formed by interposing a luminescent layer containing organic electroluminescent materials between a pair of electrodes.

at least one of the pair of electrodes comprises a plurality of independent array patterns to the light-emitting elements.

Claim 2. (Original) The organic electroluminescent display device according to claim 1, wherein a mixture of said two different colors can produce a white color which is designated by a white region in a CIE xy chromaticity diagram (JIS Z8110).

Claim 3. (Original) The organic electroluminescent display device according to claim 1, wherein a mixture of said two different colors produces colors falling within a circular area of a 0.1 radius with its center in a pure white coordinate (0.31, 0.316) in the CIE xy chromaticity diagram.

Claim 4. (Original) The organic electroluminescent display device according to claim 1, wherein said two different colors are selected from red (R), green (G), blue (B), cyan (C), magenta (M) and yellow (Y).

Claim 5. (Original) The organic electroluminescent display device according to claim 1, wherein one of said two different colors is white and the other is one selected from red (R), green (G), blue (B), cyan (C), magenta (M) and yellow (Y).

Claim 6. (Original) The organic electroluminescent display device according to claim 1, wherein said chromaticity values of two different colors are controlled by changing a concentration ratio of said organic electroluminescent materials or by coupling with a foreign material.

Claim 7. (Original) The organic electroluminescent display device according to claim 1, wherein said chromaticity values of two colors are controlled by changing thickness of said light-emitting film.

Claim 8. (Original) The organic electroluminescent display device according to claim 1, wherein said light-emitting elements are fabricated by a photo bleaching process applied to said light-emitting film.

Claim 9. (Cancelled)

Claim 10. (Previously Presented) The organic electroluminescent display device according to claim 1, wherein each said light-emitting element is formed corresponding to every color filter which converts a color of light emitted from said light-emitting film, respectively.

Claim 11. (Previously Presented) The organic electroluminescent display device according to claim 1, wherein each said light-emitting element is formed corresponding to every luminescent color conversion filter which converts a color of light emitted from said light-emitting film, respectively.

Claim 12. (Original) The organic electroluminescent display device according to claim 1, wherein said light-emitting film is formed by a coating method or a printing method.

Claim 13. (Original) The organic electroluminescent display device according to claim 1, wherein said two different color light-emitting elements have different emissive areas based on each lifetime of said light-emitting elements.

Claim 14. (Original) The organic electroluminescent display device according to claim 1, wherein said light-emitting element is driven by an electric current of a different level for each color.

Claim 15. (Original) The organic electroluminescent display device according to claim 1, wherein said light-emitting element is driven by a voltage of a different level for each color.